

This cover page is a requirement of the grant application.

If this cover page isn't signed and all application materials included, your grant application will be disqualified.

My application includes:

Initial:

X Completed application with all fields filled out

X Signed by an authorized representative

X Before photos of the area the product will be installed

X A quote ON VENDOR LETTERHEAD (not a brochure!)

_____ A project diagram of the area the product will be installed

I certify that all the above application materials are included with this application.

Dr. Jason Dandoy Superintendent

01/13/2023

Name

Х

Date



Waste Tire Grant Program Surfacing Application

Postmark Deadline is January 15

Background Information

The Waste Tire Grant Program is a solid waste diversion program developed by legislation in State Fiscal Year (SFY) 2004. Legislation in 2007 allowed funds from the Waste Tire Fee Fund to be used towards the purchase of waste tire-derived products. The Waste Tire Fee Fund generates income from a twenty-five-cent excise tax on all new tires sold in Kansas.

The Governor established a seven-member Solid Waste Grants Advisory Committee that prioritizes projects and makes recommendations on competitive grant selection and disbursements. One member of the Advisory Committee represents the waste tire recyclers in the grant programs.

Return the completed application to: For questions:

KDHE Attn: Jessica Ruiz 1000 SW Jackson, Ste. 320 Topeka, KS 66612 jessica.ruiz@ks.gov 785-296-1617

Surfacing Application

Oak Grove Elementary				Wy	
Name of Applicant/Organization 5340 Oak Grove RD	Kar	nsas City		County KS	66106
Address	City	•		State	Zip
Chris Crockett			Faci	lity Super	visor
Contact Person (responsible for day to day p	oroject man	agement)	Title		
785-250-4590				48-06	79018
Telephone Number Fax	Number		_	FEIN (IRS) T	ax Number
crockettc@turnerusd202.org		www.tur	neru	sd202.	org
E-mail Address		Web Page			
Name of Authorized Contract Signator			Title		
Have you been awarded a Waste Tire Deriv If so, have your prior grant(s) closed? Yes 🗆		t Grant before?	Yes 🗆 N	10 🗖	
Is this a request for a <u>refill</u> of loose fill rubbe		es 🗆 No 🗆			
If you are requesting a <u>refill</u> what year did t	he original	grant take place	\$		
If you have a designated fiscal agent who is	different f	rom the authorize	d repre	sentative:	
• Name:					
• FEIN (IRS) Number (if different from	above):				
 Place give g brief description of th 	0.0100000	h project (\A/hat y	vill this c	arant money r	urchaso2 Pla

 Please give a briet description of the proposed project (What will this grant money purchase? Playground surfacing, horticulture, mulching products, carpet underlay, flooring material, dock bumpers, livestock mats, rubber tiles and bricks, and molded or extruded rubber products made from recycled waste, etc.).

Turner USD 202 would utilize funds from the Waste Tire Grant Program to replace the wood mulch currently covering the playground at Oak Grove Elementary with a poured-in-place rubber surface. This would result in the playground having a smoother surface, which would allow those with limited mobility, such as students in wheelchairs, equitable access to the playground. There are students at Oak Grove Elementary with mental and/or physical disabilities that have limited access to the playground because they have difficulty walking across the wood mulch. This creates a barrier for them to be able to utilize the playground equipment, which limits their ability to have social interactions with their peers who are using the equipment. Additionally, we recently had a student be injured on this playground and being able to improve the surface would help prevent future injuries. If awarded this grant, USD 202 would be able to make this playground more inclusive, adaptable, and safe for USD 202 students and patrons.

• Please give a brief description of the proposed installation:

For the installation, Turner USD 202 maintenance staff would remove the existing wood mulch and portion of the subgrade to verify the drainage depth is a minimum of 2-3 ' of AB3. Once the drainage depth is verified, more AB3 would be compacted in place to reach the final grade for the poured-in-place rubberized surface to be installed. USD 202 staff would then add sufficient AB3 in no more than 4" compacted lifts to prepare the ground for the installation of the poured-in-place rubberized surface, at which point the contractor would take over and finish the project. This playground already has a concrete curb in place and the curb would not need to be adjusted for this project.

Please describe your education and outreach component. This is not to be used to promote KDHE or the grant, but how you will educate the public on the significance of using recycled materials and the benefits of the final project for your community. Please include at least two ways to disseminate information. (Newsletters, social media, newspaper, etc.)

Because Turner USD 202 serves a community where the majority of our families qualify for free or reduced lunch, the district keeps the school playgrounds open to the community in order to provide a safe environment for our families to spend recreational time together. This playground in particular is heavily utilized in the district. Since many of our families take advantage of being able to be active outdoors on our school playgrounds, it would be a tremendous benefit to our community if our playgrounds were as safe and accessible as possible. Being able to install a poured-in-place rubber surface would help achieve that. Additionally, this grant would provide an opportunity to educate students and staff about the importance of recycling. The new playground would serve as a learning opportunity to our students of how recycled materials can be utilized and the importance of " reduce, recycle." Beyond students and staff, we would be able to educate our stakeholders by sharing information about the project through our district quarterly magazine, Turner Today, as well as through our district and social media and a news story on our district website.

Waste Tire Product Information –

(For projects with more than one kind of waste tire product, use one form per product type)

Product Manufacturer:	Ecoturf Surfacing
Product Name:	Poured in Place Surfacing
Code Number:	PIP 2023
Vendor/Distributed by:	Taylormade Co DBA Ecoturf Surfacing
Address:	7356 Holliday Drive, Kansas City, KS 66106
Phone/Fax:	913-713-1573/913-548-0668
Email/Web page:	play@ecoturfsurfacing.com/www.ecoturfsurfacing.com

Name of Quality Officer who will oversee and certify proper installation: <u>Wade Taylor</u>, with <u>Ecoturf Surfacing</u> is a (circle one) Licensed Engineer, Certified Playground Inspector, Representative of the Manufacturer or Trained Installer

Maximum fall height of playground equipment: <u>8'</u>

Required depth of material 3.5"

To calculate amount needed, please ask your product supplier to reference the ASTM 1292 test for this product.

Important Information – KDHE highly recommends that materials and installation of playground surfacing conform to Consumer Product Safety Commission guidelines for Public Playground Safety – Publication 325. Please consult with your manufacturer to determine the best material depth for your project.

Surface Coverage formula - Playground/ Sport turf/ other:				
Product size: <u>9357sqft</u> (for crumb rubber – give size range, or sq. ft. per mat)				
Length <u>N/A</u> ft. x width <u>N/A</u> ft. = <u>9357</u> sq. ft. "Surface Area" x (multiplied by) depth equals volume.				
(Note: Depth in Inches / 12 = Depth in ft). 30 ft. = $2,808$ cubic feet. (Volume)				
Pounds per cubic feet <u>20</u> Total pounds needed: <u>54,720</u>				

Project Diagram

Please provide a diagram of the project area and attach a 'before' photo. Include locations of any relevant buildings, play equipment, roads, streams, slopes, equipment, parking lots, sidewalks, existing hazards, etc. Note: Must complete this form, if submitting a drawing diagram, it must be on an 8 $\frac{1}{2}$ by 11 sheet of paper.

 Name and address (location of project):
 Oak Grove Elementary

 If submitting multiple requests, what is the priority of this particular project?
 #2

 Who will install this?
 Ecoturf Playground Surfacing and TUSD 202 Maintenance Staff


 Note:
 Product Manufacturer or distributor is responsible for installation training

 If installed by distributor, or subcontractor, is installation guaranteed? Yes/No

 Does project include ADA accessibility features and surfaces or is it part of a system that does? Yes / No

 If yes, please list:
 We would need to rent some equipment to compact the AB3 for the subsurface, this will be tracked

 Notes:
 and included in the 50% funding provided by TUSD 202.



Budget

Required Information:

- Submit: a "before" picture of the project location, a project diagram, and a price quote for all waste tire products that will be purchased partially or in full with grant funds. The <u>price quote must include</u> the name of the manufacturer, product name, product code, vendor name, price, coverage and amount of product in pounds and be on vendor letterhead.
- A Certificate of Installation is required (provided by BWM)
- Match must be at least 50% of the total project cost Provide amount requested and related match for each of the following categories:

*See Grant Guide for additional funding information.

Items	Matching Funds (Applicant) (50%)	Grant Funds (KDHE) (50%)
LABOR		
Management/Design		
Labor Salaries for base preparation of		
installation		
Volunteer Labor (12.00/hr)		
Equipment needed for install		
Shipping		
WASTE TIRE DERIVED PRODUCTS:		
Pour-in-place rubber surface		
Loose Fill Crumb Rubber		
Rubber Tiles for Unitary Mat		
Molded or Extruded Rubber edging		
Other:		
SUPPLIES:		
^(specify) Binder		
^(specify) Color		
(specify)		
OTHER:		
^(specify) Contracted Labor for Install		
^(specify) Base Preparation		
(specify)		
Totals for Each Column:	\$	\$
TOTAL PROJECT COST:	\$	

BUDGET JUSTIFICATION – Provide a detailed description of the costs of the grant and match funding (use additional paper if needed).

Labor:

Salaries for base preparation: \$13,689.03 Shipping: \$2,105.94

Waste Tire-derived Surface Material:

Poured in place rubber surface: \$31,501.65 6-16 Mesh Black SBR Rubber Buffings 881 bags (50lb bags) 1-3MM Black Rubber Granules 194 bags (55lb bags)

Supplies:

(Binder) Stockmeier Urethane 238 Pails (5 gallon): \$36,563.00 (Color) 1-3MM Color EPDM Rubber Granules 194 bags (55lb bags): \$15,496.19

Other:

Base Preparation 102 tons of 1" minus rock: \$3,060.00 Contracted labor for poured in place installation-6 day project; 5 man crew: \$20,155.19

/

CERTIFICATION: The undersigned is an official authorized to represent the applicant.

The person signing this document must have the authority to contractually bind the applicant or be the designated fiscal agent. For local governments, this is generally the mayor or the chairperson of the county commission. For schools, this is generally the superintendent, or board president. Secure all necessary approvals from government bodies prior to signing this application!

I certify that all proposed activities will be carried out in a timely manner; that all grant money received will be utilized solely for the purposes for which it is intended; that records documenting the project implementation will be maintained and submitted when requested.

Dr. Jason Dandoy

Print Name of Authorized Representative

Superintendent

Title

Signature of Authorized Representative

Date



Taylormade Co 7356 Holliday Drive Kansas City, KS 66106

Estimate

Tel: 913-713-1573	Date	Estimate #
Fax: 913-548-0668	1/9/2023	22436 1-9

Name / Address

Turner Unified School District 831 S 55th St Kansas City, KS 66106

Ship To

Oak Grove Elementary 5340 Oak Grove Rd Kansas City, KS 66106

			7	ſerms		Project	
			1	Net 30		22436	
Descri	otion	Qty	/	Rate		Total	
Area 1 Installation of 2" compacted rock sub-bas Installation of Poured In Place Safety Sur mix for 6' and below Fall Height (2.5" de Installation of Poured In Place Safety Sur mix for 8' and below Fall Height (3.5" de	face 50/50 black & Standard color pth) face 50/50 black & Standard color		4,617 3,465 1,152		.79 .55 .41	8,264.43 36,555.75 14,296.32	
Area 2 Installation of 2" compacted rock sub-bas Installation of Poured In Place Safety Sur mix for 6' and below Fall Height (2.5" de Installation of Poured In Place Safety Sur mix for 8' and below Fall Height (3.5" de	rface 50/50 black & Standard color pth) rface 50/50 black & Standard color		4,740 3,204 1,536		.79 .55 .41	8,484.60 33,802.20 19,061.76	
Estimated Shipping for Material				2,105.	.94	2,105.94	
Does not include removal of existing to be 4.5" below finish Greenbush contract number: 20.6 ESC-P	0 0						
E-mail	Web Site		Tota	al			
play@ecoturfsurfacing.com	www.ecoturfsurfacing.com						



Taylormade Co 7356 Holliday Drive Kansas City, KS 66106

Estimate

Tel: 913-713-1573	Date	Estimate #
Fax: 913-548-0668	1/9/2023	22436 1-9

Name / Address

Turner Unified School District 831 S 55th St Kansas City, KS 66106

Ship To

Oak Grove Elementary 5340 Oak Grove Rd Kansas City, KS 66106

			Terms Net 30		Project
					22436
Descrip	otion	Qty	,	Rate	Total
54,720lbs of Recyc ***100% of Recycled Material is	led Material from Kansas Scrap Tires***				
KDHE Breakdown for Poured in Place Ins	tallation				
Labor Salaries for Base Installation: \$13,6	689.03				
Contracted Labor Installation: \$20,155.19 in Place Surfacing 9,357sqft 6 day project	(Installation of Poured t; 5 man crew)				
Waste Tire-derived Product Pour-In-Place Rubber Surface: \$31,501.6 SBR Rubber Buffings 881 Bags (50lb Bag Rubber Granules 194 Bags (55lb bags))	5 (6-16 Mesh Black gs) and 1-3 MM Black				
Supplies (Binder) Stockmeier Urethane: 238 Pails (Color) 1-3 MM Color EPDM Rubber Gran Cost: \$15,496.19 (Rock for Sub-base) 102 Tons 1" Minus re					
Shipping \$2,105.94					
E-mail	Web Site		Tota	al	\$122,571.00
play@ecoturfsurfacing.com	www.ecoturfsurfacing.com				



7356 Holliday Drive Kansas City, KS 66106 Phone: 913-713-1573

Estimate Contract

The estimate price for this project has been calculated based on the current prices for the materials. However, the market for the materials is considered to be volatile, and sudden price increases could occur.

Ecoturf Surfacing agrees to use our best efforts to obtain the lowest possible prices from available material suppliers, but should there be an increase in the prices of these specified materials that are purchased after execution of the Contract for use in this project, the Customer will be notified of the cost increase.

Upon notification, the Customer will then have the option to pay the cost increase or cancel the project and contract.

All projects are dependent on weather and installation dates are tentative

A standard additional insured certificate will be supplied at no charge upon customer request. If the customer requests any changes to Ecoturf Surfacing's insurance the customer will be responsible for the cost of any and all changes.

Customer is to supply and install construction fence around site and have security to watch over the site once the project has begun, up until the surface is dry and ready to be used. Any and all costs to repair or replace damage to surface caused by a lack of security or fencing will be the responsibility of the customer.

Customer is responsible for placing rubber wear mats in high traffic areas, such as under swings and at the bottom of slides.

100% full payment is due in NET 30 days upon completion of project

All work completed under this contract remains the property of Ecoturf Surfacing until this contract is paid in full.

Please sign and submit this quote to have your project added to our job list. By signing you are stating that you agree to the scope, details, and terms for the above mentioned proposal.

Customer Signature

Date: _____

Leaders in Playground Surfacing

A Taylormade Company



Leaders in Playground Surfacing

A Taylormade Company

17 November 2022

To Whom It May Concern,

Our Poured In Place safety surfacing is manufactured from a 100% Recycled Rubber buffing component, and an EPDM wear course layer. In addition, the urethane binder is the highest quality with minimal additives. This insures superior adhesion of rubber materials. Binder is a heat and moisture activated urethane. Our raw material sourcing is nationwide. Ecoturf Surfacing's procedure is to document and qualify all inbound raw materials and therefore can provide an audit trail to warrant that a 100% of the Recycled Rubber feed stock is generated from Kansas' Tire Waste Stream.

Sincerely,

Wade Taylor President Ecoturf Surfacing Oak Grove Elementary 5340 Oak Grove Road Kansas City, KS 66106 (2) Separate Playgrounds





Oak Grove E	Elementary	
TUSD 202 Labor	\$5,120.00	4 people \$20/hr 8 days = \$5120
AB3	\$2,000.00	\$20 per Ton / 100 ton = \$2000
Concrete Flat Curb	\$0.00	N/A
Supervisor Labor	\$2,400.00	8 days @ \$300/day = \$2400
Equipment Rental	\$2,400.00	8 days @ \$300/day = \$2400
Director Labor	\$400.00	1 day @ \$400/day = \$400
Total	\$12,320.00	



Breakdown in 50% split of Rubber Tire Grant Offered by KSDE

Projects listed in order of priority

Location	Turner in house cost	Ecotrurf Cost	Total	50% Paid by TUSD	50% Paid by Grant	Notes
Midland Trail	\$26,320.00	\$174,423.33	\$200,743.33	\$100,371.67	\$100,371.67	
				\$26,320.00 TUSD \$74051.67to Eco	\$100,371.67 to Eco	
Oak Grove	\$12,320.00	\$122,571.00	\$134,891.00	\$67 <mark>,</mark> 445.50	\$67,445.50	
				\$12,320.00 TUSD \$55,125.50 Eco	\$67,445.50 Eco	
Turner Elementary	\$16,300.00	\$108,094.30	\$124,394.30	\$62,197.15	\$62,197.15	
				\$16,300.00 TUSD \$45,897.15 Eco	\$62,197.15 Eco	
Junction Elementary	\$10,860.00	\$76,496.76	\$87,356.76	\$43,678.38	\$43,678.38	
				\$10,860.00 TUSD \$32,818.38 Eco	\$43,678.38 Eco	
Sixth Grade Academy	\$6,360.00	\$67,839.09	\$74,199.09	\$37,099.55	\$37,099.55	
				\$6,360.00 TUSD \$30,739.55 Eco	37099.55 Eco	